

ROUND BAR

Round bar diameter	Kg/m	Alloy
RB30	2.007	2011
RB35	2.729	2011
RB38	3.235	2011
RB40	3.562	2011
RB42	3.931	2011
RB45	4.505	2011
RB48	5.125	2011
RB50	5.571	2011
RB55	6.737	2011
RB58	7.528	2011
RB60	8.014	2011
RB65	9.444	2011
RB70	11.008	2011
RB75	12.625	2011
RB80	14.353	2011
RB85	16.192	2011
RB90	18.14	2011
Y100	21.284	6060/6082/6063/6026LF
Y101.6	21.971	6060/6082/6063/6026LF
Y114.3	27.807	6060/6082/6063/6026LF
Y12	0.305	6060/6082/6063/6026LF
Y12.7	0.343	6060/6082/6063/6026LF
Y120.65	30.982	6060/6082/6063/6026LF
Y127	34.329	6060/6082/6063/6026LF
Y14	0.417	6060/6082/6063/6026LF
Y15	0.479	6060/6082/6063/6026LF
Y15.88	0.536	6060/6082/6063/6026LF

ROUND BAR

Round bar diameter	Kg/m	Alloy
Y16	0.545	6060/6082/6063/6026LF
Y18	0.69	6060/6082/6063/6026LF
Y19.05	0.772	6060/6082/6063/6026LF
Y20	0.848	6060/6082/6063/6026LF
Y22	1.03	6060/6082/6063/6026LF
Y25	1.33	6060/6082/6063/6026LF
Y25.4	1.373	6060/6082/6063/6026LF
Y30	1.909	6060/6082/6063/6026LF
Y30	1.909	6060/6082/6063/6026LF
Y31	2.037	6060/6082/6063/6026LF
Y32	2.18	6060/6082/6063/6026LF
Y35	2.607	6060/6082/6063/6026LF
Y38.1	3.09	6060/6082/6063/6026LF
Y40	3.405	6060/6082/6063/6026LF
Y41.28	3.626	6060/6082/6063/6026LF
Y45	4.31	6060/6082/6063/6026LF
Y46	4.504	6060/6082/6063/6026LF
Y5	0.053	6060/6082/6063/6026LF
Y50	5.321	6060/6082/6063/6026LF
Y50.8	5.493	6060/6082/6063/6026LF
Y51	5.516	6060/6082/6063/6026LF
Y55	6.438	6060/6082/6063/6026LF
Y6	0.076	6060/6082/6063/6026LF
Y6.35	0.088	6060/6082/6063/6026LF
Y60	7.662	6060/6082/6063/6026LF
Y65	8.993	6060/6082/6063/6026LF
Y7.94	0.134	6060/6082/6063/6026LF

ROUND BAR

Round bar diameter	Kg/m	Alloy
Y70	10.429	6060/6082/6063/6026LF
Y75	12.017	6060/6082/6063/6026LF
Y76.2	12.359	6060/6082/6063/6026LF
Y8	0.136	6060/6082/6063/6026LF
Y80	13.622	6060/6082/6063/6026LF
Y82.55	14.504	6060/6082/6063/6026LF
Y85	15.378	6060/6082/6063/6026LF
Y88.9	16.821	6060/6082/6063/6026LF
Y88.9	16.821	6060/6082/6063/6026LF
Y9.53	0.194	6060/6082/6063/6026LF
Y90	17.241	6060/6082/6063/6026LF
RB32	2.268	2011
RB25	1.395	2011
RB95	20.115	2011
RB100	22.281	2011
RB52	6.024	2011
Y36	2.758	6060/6082/6063/6026LF
Y38	3.073	6060/6082/6063/6026LF
Y28	1.669	6060/6082/6063/6026LF
Y42	3.755	6060/6082/6063/6026LF
Y67	9.555	6060/6082/6063/6026LF
RB20	0.889	2011
Y33	2.443	6060/6082/6063/6026LF
RB105	24.505	2011
RB81	14.583	2011
RB72	11.522	2011
RB71	11.205	2011

ROUND BAR

Round bar diameter	Kg/m	Alloy
RB62	8.544	2011
RB41	3.736	2011
RB25-A	1.349	6060/6082/6063/6026LF
RB30-A	1.94	6060/6082/6063/6026LF
RB30-A	1.94	6060/6082/6063/6026LF
RB35-A	2.639	6060/6082/6063/6026LF
RB35-A	2.639	6060/6082/6063/6026LF
RB40-A	3.444	6060/6082/6063/6026LF
RB40-A	3.444	6060/6082/6063/6026LF
RB45-A	4.361	6060/6082/6063/6026LF
RB45-A	4.361	6060/6082/6063/6026LF
RB50-A	5.382	6060/6082/6063/6026LF
RB50-A	5.382	6060/6082/6063/6026LF
RB55-A	6.521	6060/6082/6063/6026LF
RB55-A	6.521	6060/6082/6063/6026LF
RB60-A	7.758	6060/6082/6063/6026LF
RB60-A	7.758	6060/6082/6063/6026LF
RB65-A	9.101	6060/6082/6063/6026LF
RB70-A	10.56	6060/6082/6063/6026LF
RB75-A	12.119	6060/6082/6063/6026LF
RB80-A	13.784	6060/6082/6063/6026LF
RB85-A	15.574	6060/6082/6063/6026LF
RB90-A	17.455	6060/6082/6063/6026LF
RB100-A	21.538	6060/6082/6063/6026LF
RB100-A	21.538	6060/6082/6063/6026LF
RB100-A	21.538	6060/6082/6063/6026LF
RB110-A	26.076	6060/6082/6063/6026LF

ROUND BAR

Round bar diameter	Kg/m	Alloy
RB110-A	26.076	6060/6082/6063/6026LF
RB110-B	26.894	2011
RB115-B	29.395	2011
RB120-B	32.006	2011
RB125-B	34.729	2011
RB130-B	37.563	2011
RB135-B	40.508	2011
RB140-B	43.564	2011
RB145-B	46.732	2011
RB150-B	50.01	2011
RB160-B	56.901	2011
RB120-A	31.02	6060/6082/6063/6026LF
RB120-A	31.02	6060/6082/6063/6026LF
RB130-A	36.431	6060/6082/6063/6026LF
RB130-A	36.431	6060/6082/6063/6026LF
RB140-A	42.236	6060/6082/6063/6026LF
RB140-A	42.236	6060/6082/6063/6026LF
RB150-A	48.468	6060/6082/6063/6026LF
RB155-A	51.812	6060/6082/6063/6026LF
RB160-A	55.199	6060/6082/6063/6026LF
RB160-A	55.199	6060/6082/6063/6026LF
RB95-A	19.209	6060/6082/6063/6026LF
RB46-B	4.703	2011
RB36-B	2.881	2011
RB105-A	23.639	6060/6082/6063/6026LF
RB50-C	5.54	2007
RB80-C	14.188	2007

ROUND BAR

Round bar diameter	Kg/m	Alloy
RB115-A	28.492	6060/6082/6063/6026LF
RB28-C	1.73	2007
RB95-C	20.044	2007
RB90-C	17.976	2007
RB75-C	12.497	2007
RB70-C	10.892	2007
RB65-C	9.367	2007
RB32-C	2.26	2007
RB25-C	1.39	2007
RB20-C	0.883	2007
RB62-C	8.484	2007
RB60-C	7.985	2007
RB52-C	6.002	2007
RB45-C	4.489	2007
RB42-C	3.912	2007
RB40-C	3.549	2007
RB30-C	2	2007
RB85-C	16.039	2007
RB100-C	22.202	2007
RB105-C	24.332	2007
RB110-C	26.704	2007
RB55-B	6.737	2011
RB35-C	2.719	2007
RB55-C	6.713	2007
RB115-C	29.187	2007
RB120-C	31.78	2007
RB130-C	37.298	2007

ROUND BAR

Round bar diameter	Kg/m	Alloy
RB135-C	40.222	2007
RB140-C	43.257	2007
RB145-C	46.402	2007
RB150-C	49.657	2007
RB160-C	56.498	2007
RB125-C	34.484	2007
RB180-A	69.47	6060/6082/6063/6026LF
RB82-B	15.037	2011
RB180-C	71.506	2007
RB200-C	88.279	2007
RB125-A	33.663	6060/6082/6063/6026LF
RB22-B	1.086	2011
RB26-B	1.514	2011
RB28-B	1.743	2011
RB33-B	2.42	2011
RB36-A	2.79	6060/6082/6063/6026LF
RB36-A	2.79	6060/6082/6063/6026LF
RB41-A	3.622	6060/6082/6063/6026LF
RB42-A	3.8	6060/6082/6063/6026LF
RB72-A	11.169	6060/6082/6063/6026LF
RB103-A	22.747	6060/6082/6063/6026LF
RB152-A	49.767	6060/6082/6063/6026LF
RB200-A	85.137	6060/6082/6063/6026LF
RB170-B	64.235	2011
RB180-B	72.015	2011
RB165.1-A	58.333	6060/6082/6063/6026LF
RB220-A	103.555	6060/6082/6063/6026LF

ROUND BAR

Round bar diameter	Kg/m	Alloy
RB220-C	107.547	2007
RB250-A	133.719	6060/6082/6063/6026LF
RB250-C	138.82	2007
RB300-A	192.582	6060/6082/6063/6026LF
RB300-C	200.286	2007
RB350-A	262.225	6060/6082/6063/6026LF
RB200-B	89.575	2011
RB220-B	108.312	2011
RB250-B	139.808	2011
RB300-B	201.711	2011
RB48-A	4.95	6060/6082/6063/6026LF
RB48-A	4.95	6060/6082/6063/6026LF
RB48-A	4.95	6060/6082/6063/6026LF
RB52-A	5.814	6060/6082/6063/6026LF
RB71-B	11.26	2011
RB81-B	14.664	2011
RB153-A	50.521	6060/6082/6063/6026LF
RB210-A	95.075	6060/6082/6063/6026LF
RB230-A	114.067	6060/6082/6063/6026LF
RB230-A	114.067	6060/6082/6063/6026LF
RB240-A	124.172	6060/6082/6063/6026LF
RB127.8-A	34.927	6060/6082/6063/6026LF
RB135-A	38.963	6060/6082/6063/6026LF
RB170-A	61.874	6060/6082/6063/6026LF
RB205-A	89.95	6060/6082/6063/6026LF
RB190-C	80.302	2007
RB240-C	127.97	2007



ROUND BAR

Round bar diameter	Kg/m	Alloy
RB170-C	64.308	2007
RB260-A	144.602	6060/6082/6063/6026LF
RB280-A	167.824	6060/6082/6063/6026LF
RB145-A	44.936	6060/6082/6063/6026LF
RB155-C	53.502	2007
RB190-B	80.873	2011
RB210-B	98.721	2011
RB230-C	117.562	2007
RB240-B	128.881	2011
RB46-A	4.514	6060/6082/6063/6026LF
RB58-A	7.179	6060/6082/6063/6026LF
RB62-A	8.201	6060/6082/6063/6026LF
RB62-A	8.201	6060/6082/6063/6026LF
RB73.5-A	11.498	6060/6082/6063/6026LF
RB73.5-A	11.498	6060/6082/6063/6026LF
RB210-C	98.024	2007
RB260-C	150.11	2007
RB68-B	10.331	2011
RB165-A	58.298	6060/6082/6063/6026LF
RB165-A	58.298	6060/6082/6063/6026LF
RB190-A	77.302	6060/6082/6063/6026LF
RB152-B	51.827	2011
RB56-A	6.693	6060/6082/6063/6026LF
RB82-A	14.312	6060/6082/6063/6026LF
RB66-C	9.71	2007
RB72-C	11.497	2007
RB66-B	9.779	2011

ROUND BAR

Round bar diameter	Kg/m	Alloy
RB178-A	68.317	6060/6082/6063/6026LF
RB178-A	68.317	6060/6082/6063/6026LF
RB280-B	175.255	2011
RB20-A	0.856	6060/6082/6063/6026LF
RB20-A	0.856	6060/6082/6063/6026LF
RB32-A	2.186	6060/6082/6063/6026LF
RB32-A	2.186	6060/6082/6063/6026LF
RB185-A	73.303	6060/6082/6063/6026LF
RB260-B	151.179	2011
RB270-A	155.91	6060/6082/6063/6026LF
RB29-B	1.879	2011
RB230-B	118.399	2011
RB290-A	179.99	6060/6082/6063/6026LF
RB165-C	60.596	2007
RB280-C	174.575	2007
RB161-B	58.116	2011
RB201-B	90.47	2011
RB290-C	187.21	2007
RB38-A	3.104	6060/6082/6063/6026LF
RB38-A	3.104	6060/6082/6063/6026LF
RB165-B	61.027	2011
RB63.5-A	8.603	6060/6082/6063/6026LF
RB225-A	108.375	6060/6082/6063/6026LF
RB36-C	2.872	2007
RB38-C	3.199	2007
RB71-A	10.839	6060/6082/6063/6026LF
RB96-A	19.822	6060/6082/6063/6026LF

ROUND BAR

Round bar diameter	Kg/m	Alloy
RB38.1-A	3.09	6060/6082/6063/6026LF
RB22.22-B	1.097	2011
RB28-A	1.687	6060/6082/6063/6026LF
RB28-A	1.687	6060/6082/6063/6026LF
RB303-B	205.75	2011
RB69.85-A	10.414	6060/6082/6063/6026LF
RB20-JC-A	0.946	6082/6026LF
RB20-JC-A	0.946	6082/6026LF
RB20-JC-B	0.994	2011
RB20-JC-B	0.994	2011
RB20-JC-C	0.973	2007
RB20-JC-C	0.973	2007
RB22-JC-A	1.134	6082/6026LF
RB22-JC-A	1.134	6082/6026LF
RB22-JC-B	1.191	2011
RB22-JC-B	1.191	2011
RB24-JC-B	1.406	2011
RB24-JC-B	1.406	2011
RB25-JC-A	1.449	6082/6026LF
RB25-JC-A	1.449	6082/6026LF
RB25-JC-B	1.52	2011
RB25-JC-B	1.52	2011
RB26-JC-A	1.563	6082/6026LF
RB26-JC-A	1.563	6082/6026LF
RB26-JC-B	1.65	2011
RB26-JC-B	1.65	2011
RB26-JC-C	1.609	2007

ROUND BAR

Round bar diameter	Kg/m	Alloy
RB27-JC-A	1.681	6082/6026LF
RB27-JC-A	1.681	6082/6026LF
RB27-JC-B	1.761	2011
RB27-JC-B	1.761	2011
RB28-JC-C	1.856	2007
RB28-JC-C	1.856	2007
RB30-JC-A	2.061	6082/6026LF
RB30-JC-A	2.061	6082/6026LF
RB30-JC-B	2.157	2011
RB30-JC-B	2.157	2011
RB35-JC-A	2.779	6082/6026LF
RB35-JC-A	2.779	6082/6026LF
RB35-JC-B	2.905	2011
RB35-JC-B	2.905	2011
RB40-JC-A	3.604	6082/6026LF
RB40-JC-A	3.604	6082/6026LF
RB40-JC-B	3.828	2011
RB40-JC-B	3.828	2011
RB42-JC-A	3.978	6082/6026LF
RB42-JC-A	3.978	6082/6026LF
RB42-JC-B	4.206	2011
RB42-JC-B	4.206	2011
RB45-JC-B	4.806	2011
RB45-JC-B	4.806	2011
RB50-JC-A	5.593	6082/6026LF
RB50-JC-A	5.593	6082/6026LF
RB50-JC-B	5.895	2011

ROUND BAR

Round bar diameter	Kg/m	Alloy
RB50-JC-B	5.895	2011
RB55-JC-A	6.742	6082/6026LF
RB55-JC-A	6.742	6082/6026LF
RB55-JC-B	7.095	2011
RB55-JC-B	7.095	2011
RB55-JC-B	7.095	2011
RB60-JC-A	7.998	6082/6026LF
RB60-JC-A	7.998	6082/6026LF
RB60-JC-B	8.407	2011
RB60-JC-B	8.407	2011
RB60-JC-B	8.407	2011
RB60-JC-C	8.232	2007
RB60-JC-C	8.232	2007
RB65-JC-B	9.829	2011
RB65-JC-B	9.829	2011
RB65-JC-B	9.829	2011
RB30-JC-C	2.121	2007
RB30-JC-C	2.121	2007
RB35-JC-C	2.86	2007
RB35-JC-C	2.86	2007
RB45-JC-C	4.685	2007
RB45-JC-C	4.685	2007
RB50-JC-C	5.757	2007
RB50-JC-C	5.757	2007
RB60.32-A	7.764	6060/6082/6063/6026LF
RB139.7-A	41.717	6060/6082/6063/6026LF
RB32-JC-A	2.335	6082/6026LF

ROUND BAR

Round bar diameter	Kg/m	Alloy
RB32-JC-A	2.335	6082/6026LF
RB38-JC-B	3.407	2011
RB38-JC-B	3.407	2011
RB77-A	12.746	6060/6082/6063/6026LF
RB177.8-A	68.164	6060/6082/6063/6026LF
RB152.4-A	49.759	6060/6082/6063/6026LF
RB203.2-A	88.381	6060/6082/6063/6026LF
RB36-JC-B	3.067	2011
RB36-JC-B	3.067	2011
RB270-B	162.995	2011
RB290-B	188.542	2011
RB21-JC-A	1.038	6082/6026LF
RB21-JC-A	1.038	6082/6026LF
RB21-JC-B	1.09	2011
RB21-JC-B	1.09	2011
RB23-JC-A	1.235	6082/6026LF
RB23-JC-A	1.235	6082/6026LF
RB23-JC-B	1.296	2011
RB23-JC-B	1.296	2011
RB24-JC-A	1.34	6082/6026LF
RB24-JC-A	1.34	6082/6026LF
RB28-JC-A	1.803	6082/6026LF
RB28-JC-A	1.803	6082/6026LF
RB28-JC-B	1.889	2011
RB28-JC-B	1.889	2011
RB32-JC-B	2.443	2011
RB32-JC-B	2.443	2011

ROUND BAR

Round bar diameter	Kg/m	Alloy
RB33-JC-A	2.479	6082/6026LF
RB33-JC-A	2.479	6082/6026LF
RB36-JC-A	2.935	6082/6026LF
RB36-JC-A	2.935	6082/6026LF
RB45-JC-A	4.552	6082/6026LF
RB45-JC-A	4.552	6082/6026LF
RB46-JC-B	5.015	2011
RB46-JC-B	5.015	2011
RB48-JC-A	5.164	6082/6026LF
RB48-JC-A	5.164	6082/6026LF
RB48-JC-B	5.446	2011
RB48-JC-B	5.446	2011
RB42-JC-C	4.095	2007
RB42-JC-C	4.095	2007
RB310-A	205.599	6060/6082/6063/6026LF
RB310-B	215.325	2011
RB25-JC-C	1.492	2007
RB25-JC-C	1.492	2007
RB32-JC-C	2.403	2007
RB32-JC-C	2.403	2007
RB38-JC-C	3.357	2007
RB38-JC-C	3.357	2007
RB76-A	12.417	6060/6082/6063/6026LF
RB320-A	219.042	6060/6082/6063/6026LF
RB30-B	2.01	2011
RB34-JC-C	2.704	2007
RB34-JC-C	2.704	2007

ROUND BAR

Round bar diameter	Kg/m	Alloy
RB36-JC-C	3.021	2007
RB36-JC-C	3.021	2007
RB38-JC-A	3.261	6082/6026LF
RB38-JC-A	3.261	6082/6026LF
RB40-JC-C	3.71	2007
RB40-JC-C	3.71	2007
RB48-JC-C	5.315	2007
RB48-JC-C	5.315	2007
RB52-JC-A	6.04	6082/6026LF
RB52-JC-A	6.04	6082/6026LF
RB55-JC-C	6.94	2007
RB55-JC-C	6.94	2007
RB65-JC-C	9.635	2007
RB65-JC-C	9.635	2007
RB56-C	6.952	2007
RB37-JC-B	3.235	2011
RB37-JC-B	3.235	2011
RB43-JC-B	4.367	2011
RB43-JC-B	4.367	2011
RB52-JC-B	6.32	2011
RB52-JC-B	6.32	2011
RB58-JC-A	7.483	6082/6026LF
RB58-JC-A	7.483	6082/6026LF
RB58-JC-B	7.823	2011
RB58-JC-B	7.823	2011
RB78-A	13.078	6060/6082/6063/6026LF
RB78-A	13.078	6060/6082/6063/6026LF



ROUND BAR

Round bar diameter	Kg/m	Alloy
RB175-A	65.556	6060/6082/6063/6026LF
RB34-JC-B	2.746	2011
RB34-JC-B	2.746	2011
RB34-JC-B	2.746	2011
RB40-JC-A	3.723	6082/6026LF
RB40-JC-A	3.723	6082/6026LF
RB50-JC-A	5.757	6082/6026LF
RB50-JC-A	5.757	6082/6026LF
RB195-A	81.412	6060/6082/6063/6026LF
RB195-A	81.412	6060/6082/6063/6026LF
RB128-A	34.782	6060/6082/6063/6026LF
RB33-A	2.318	6060/6082/6063/6026LF
RB33-A	2.318	6060/6082/6063/6026LF
RB33-JC-B	2.581	2011
RB33-JC-B	2.581	2011
RB19-A	0.776	6060/6082/6063/6026LF
RB31.75-A	2.168	6060/6082/6063/6026LF
RB50.8-A	5.55	6060/6082/6063/6026LF
RB57.15-A	7.021	6060/6082/6063/6026LF
RB146.05-A	45.587	6060/6082/6063/6026LF
RB228.6-A	111.861	6060/6082/6063/6026LF
RB254-A	138.673	6060/6082/6063/6026LF
RB101.6-A	22.21	6060/6082/6063/6026LF
RB14-A	0.423	6060/6082/6063/6026LF
RB16-A	0.552	6060/6082/6063/6026LF
RB18-A	0.697	6060/6082/6063/6026LF
RB22-C	1.083	2007

ROUND BAR

Round bar diameter	Kg/m	Alloy
RB24-A	1.236	6060/6082/6063/6026LF
RB31-A	2.059	6060/6082/6063/6026LF
RB34-A	2.475	6060/6082/6063/6026LF
RB28.57-A	1.744	6060/6082/6063/6026LF
RB76.2-A	12.483	6060/6082/6063/6026LF
RB275-A	162.429	6060/6082/6063/6026LF
RB155-B	53.883	2011
RB44.5-A	4.224	6060/6082/6063/6026LF
RB158.75-A	53.978	6060/6082/6063/6026LF
RB108-A	24.907	6060/6082/6063/6026LF
RB34-JC-A	2.627	6082/6026LF
RB65-JC-A	9.293	6082/6026LF
RB95.25-A	19.371	6060/6082/6063/6026LF
RB133.35-A	38.019	6060/6082/6063/6026LF
RB305-B	208.463	2011
RB16-C	0.566	2007
RB18-C	0.715	2007
RB21-C	0.972	2007
RB23-C	1.136	2007
RB27-C	1.604	2007
RB39-C	3.338	2007
RB48-C	5.052	2007
RB58-C	7.377	2007
RB21-A	0.948	6060/6082/6063/6026LF
RB22-A	1.04	6060/6082/6063/6026LF
RB22-A	1.04	6060/6082/6063/6026LF
RB22-A	1.04	6060/6082/6063/6026LF

ROUND BAR

Round bar diameter	Kg/m	Alloy
RB23-A	1.136	6060/6082/6063/6026LF
RB26-A	1.45	6060/6082/6063/6026LF
RB29-A	1.802	6060/6082/6063/6026LF
RB37-A	2.93	6060/6082/6063/6026LF
RB39-A	3.254	6060/6082/6063/6026LF
RB43-A	3.954	6060/6082/6063/6026LF
RB44-A	4.139	6060/6082/6063/6026LF
RB47-A	4.722	6060/6082/6063/6026LF
RB49-A	5.131	6060/6082/6063/6026LF
RB51-A	5.558	6060/6082/6063/6026LF
RB53-A	6.001	6060/6082/6063/6026LF
RB54-A	6.23	6060/6082/6063/6026LF
RB57-A	6.94	6060/6082/6063/6026LF
RB59-A	7.434	6060/6082/6063/6026LF
RB61-A	7.946	6060/6082/6063/6026LF
RB63-A	8.475	6060/6082/6063/6026LF
RB64-A	8.745	6060/6082/6063/6026LF
RB66-A	9.3	6060/6082/6063/6026LF
RB67-A	9.583	6060/6082/6063/6026LF
RB68-A	9.871	6060/6082/6063/6026LF
RB69-A	10.163	6060/6082/6063/6026LF
RB73-A	11.373	6060/6082/6063/6026LF
RB74-A	11.687	6060/6082/6063/6026LF
RB79-A	13.317	6060/6082/6063/6026LF
RB81-A	14.016	6060/6082/6063/6026LF
RB83-A	14.716	6060/6082/6063/6026LF
RB84-A	15.072	6060/6082/6063/6026LF

ROUND BAR

Round bar diameter	Kg/m	Alloy
RB86-A	15.797	6060/6082/6063/6026LF
RB87-A	16.166	6060/6082/6063/6026LF
RB88-A	16.539	6060/6082/6063/6026LF
RB89-A	16.916	6060/6082/6063/6026LF
RB91-A	17.664	6060/6082/6063/6026LF
RB92-A	18.074	6060/6082/6063/6026LF
RB93-A	18.468	6060/6082/6063/6026LF
RB94-A	18.867	6060/6082/6063/6026LF
RB97-A	20.088	6060/6082/6063/6026LF
RB98-A	20.504	6060/6082/6063/6026LF
RB99-A	20.924	6060/6082/6063/6026LF
RB107.95-A	24.883	6060/6082/6063/6026LF
RB215.9-A	99.741	6060/6082/6063/6026LF
RB255-A	139.026	6060/6082/6063/6026LF
RB21-B	0.987	2011
RB168-A	60.073	6060/6082/6063/6026LF
RB102-A	22.275	6060/6082/6063/6026LF
RB118-A	29.787	6060/6082/6063/6026LF
RB122-A	31.836	6060/6082/6063/6026LF
RB235-A	118.194	6060/6082/6063/6026LF
RB27-B	1.65	2011
RB198-A	83.928	6060/6082/6063/6026LF
RB192-A	78.933	6060/6082/6063/6026LF
RB25-A	1.352	6060/6082/6063/6026LF
RB21.3-JC-A	1.058	6082/6026LF
RB24-A	1.226	6060/6082/6063/6026LF
RB27-A	1.552	6060/6082/6063/6026LF

ROUND BAR

Round bar diameter	Kg/m	Alloy
RB30-A	1.916	6060/6082/6063/6026LF
RB32-A	2.18	6060/6082/6063/6026LF
RB34-A	2.46	6060/6082/6063/6026LF
RB35-A	2.607	6060/6082/6063/6026LF
RB245-A	128.438	6060/6082/6063/6026LF
RB207-A	91.708	6060/6082/6063/6026LF
RB305-A	199.623	6060/6082/6063/6026LF
RB162-A	56.256	6060/6082/6063/6026LF
RB142-A	43.403	6060/6082/6063/6026LF
RB44.9-A	4.291	6060/6082/6063/6026LF
RB30.75-A	2.013	6060/6082/6063/6026LF
RB113-A	27.463	6060/6082/6063/6026LF
RB116-A	28.936	6060/6082/6063/6026LF
RB63-B	8.857	2011
RB26.3-A	1.506	6060/6082/6063/6026LF
RB270-C	162.381	2007
RB22-JC-C	1.168	2007
RB24-JC-C	1.379	2007
RB18.9-A	0.76	6060/6082/6063/6026LF
RB49.9-A	5.3	6060/6082/6063/6026LF
RB54.4-A	6.299	6060/6082/6063/6026LF
RB65.5-A	9.227	6060/6082/6063/6026LF
RB241.3-A	124.598	6060/6082/6063/6026LF
RB304.8-A	199.363	6060/6082/6063/6026LF
RB46-JC-A	4.767	6082/6026LF
RB31.7-A	2.139	6060/6082/6063/6026LF
RB33.7-A	2.417	6060/6082/6063/6026LF

ROUND BAR

Round bar diameter	Kg/m	Alloy
RB34.7-A	2.563	6060/6082/6063/6026LF
RB22.22-A	1.056	6060/6082/6063/6026LF
RB190.5-A	77.708	6060/6082/6063/6026LF
RB279.4-A	167.644	6060/6082/6063/6026LF
RB43-JC-C	4.292	2007
RB46-C	4.69	2007
RB63-C	8.794	2007
RB14-A	0.417	6060/6082/6063/6026LF
RB20-A	0.851	6060/6082/6063/6026LF
RB21-A	0.939	6060/6082/6063/6026LF
RB23-A	1.126	6060/6082/6063/6026LF
RB24-A	1.226	6060/6082/6063/6026LF
RB25-A	1.33	6060/6082/6063/6026LF
RB26-A	1.439	6060/6082/6063/6026LF
RB27-A	1.552	6060/6082/6063/6026LF
RB28-A	1.669	6060/6082/6063/6026LF
RB35-A	2.607	6060/6082/6063/6026LF
RB15-A	0.479	6060/6082/6063/6026LF
RB15.2-A	0.492	6060/6082/6063/6026LF
RB16-A	0.545	6060/6082/6063/6026LF
RB17-A	0.615	6060/6082/6063/6026LF
RB18-A	0.69	6060/6082/6063/6026LF
RB22-A	1.03	6060/6082/6063/6026LF